

Form IV
(See Rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 70655870

Period : 2024-2025

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	ARCOT SRAVANAKUMAR
(ii) Name of HCF or CBMWTF:	EQUITAS HEALTHCARE FOUNDATION
(iii) Address for Correspondence:	NO.175, VELECHERY MAIN ROAD,GOWRIVAKKAM VILLAGE , TAMBARAM, Chengalpattu DISTRICT
(iv) Address of Facility:	NO.175, VELECHERY MAIN ROAD,GOWRIVAKKAM VILLAGE , TAMBARAM, Chengalpattu DISTRICT
(v) Tel. No.:	9600013169
(vi) Fax. No.:	044 - 42995040
(vii) E-mail ID:	sravankumara@equitasbank.com
(viii) URL of Website:	
(ix) GPS coordinates of HCF of CBMWTF:	12.920692048511043,80.16701578683838
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handling) Rules:	Authorization No.: 25BAZ65504874 Valid Upto: 21/06/2025
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 31/03/2027
2. Type of Health Care Facility	
HCF/CBMWTF Type:	HCF
(i) No. of Beds(for Bedded Hospital):	100.0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	NA
(iii) Licence Number:	20230035030
(iv) Licence date of expiry:	11/10/2028
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 4286.5 Red Category: 1884.7 White Category: 60 Blue Category: 2824 General Solid Waste: 20449.9
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 53 Capacity: 50 Provision of on-site storage: provision of on-site storage closed room

(ii) Disposal Facility:	<table border="1"> <tr> <th data-bbox="874 107 1010 275">Type of Treatment Equipment</th> <th data-bbox="1011 107 1147 275">Number of Units</th> <th data-bbox="1149 107 1284 275">Capacity(Kg/day)</th> <th data-bbox="1286 107 1422 275">Quantity Treated or Disposed(Kg/annum)</th> </tr> <tr> <td colspan="4" data-bbox="874 277 1422 327"><i>List is Empty</i></td> </tr> </table>	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)	<i>List is Empty</i>			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)						
<i>List is Empty</i>									
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0								
(iv) No of vehicles used for collection and transportation of BMW:	0								
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <tr> <th data-bbox="874 481 1054 548">Type of waste</th> <th data-bbox="1056 481 1236 548">Quantity Generated</th> <th data-bbox="1238 481 1422 548">Where disposal</th> </tr> <tr> <td colspan="3" data-bbox="874 551 1422 593"><i>List is Empty</i></td> </tr> </table>	Type of waste	Quantity Generated	Where disposal	<i>List is Empty</i>				
Type of waste	Quantity Generated	Where disposal							
<i>List is Empty</i>									
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	M/s.G.J. Multiclave (India) Pvt Ltd								
5. Do you have BMW management committee:	no								
6. Training Conducted on BMW Details									
(i) Number of training conducted on BMW Management:	9								
(ii) Number of personnel trained:	40								
(iii) Number of personnel trained at the time of induction:	60								
(iv) Number of personnel not undergone any training so far:	11								
(v) Whether standard manual for training is available:	yes								
(vi) Any other information:	NIL								
7. Details of the accident occurred									
(i) No. of accident occurred:	0								
(ii) Number of the persons affected:	0								
(iii) Remedial Action taken:	N/A								
(iv) Any Fatality occurred, details:	N/A								
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	N/A								
Details of Continuous online emission monitoring systems installed:	N/A								
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	Our facility generates liquid waste treated through an ETP, and we have not failed to meet the prescribed standards during the year								
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	Our trade effluent is treated through the ETP, and the standards are consistently met during the year.								
11. Any other relevant information:	NIL								

Name and Signature of the Head of the Institution

Date :06/10/2025

Place : Chengalpattu